FUEL TANK INSTALLATION MUST ALLOW 3% GROWTH IN ALL DIRECTIONS. ANY DESIGNS NOT COMPLIANT WITH ABYC STANDARDS OR ARE CONSIDERED "GREY AREA" UNDER THESE STANDARDS WILL BE NOTED HERE IN. THIS PRINT AND ANY ATTACHED ARE PREPARED FOR CUSTOMER APPROVAL, PERFORMING THIS ACTION RELIEVES MOELLER MARINE PRODUCTS OF LIABILITY ASSOCIATED WITH TANK DESIGN.

THIS DRAWING AND THE ATTACHED DRAWINGS (AND THE DATA SHOWN THERON) IS CONFIDENTIAL AND PROPRIETARY AND SHALL NOT BE USED, DISCLOSED TO OTHERS, REPRODUCED FOR ANY PURPOSE EXCEPT FOR QUOTATION TO OR ORDER BY MOELLER MARINE PRODUCTS, INC. AND/OR IT'S

SUBSIDIARIES WITHOUT THEIR WRITTEN CONSENT TO THE USE OF SUCH DRAWINGS AND/OR DATA.

| | NO. | REVISION | DATE | DRAFTER |
|---|-----|---|----------|---------|
| | 1 | REPLACED ALUM. FILL WITH MOLDED FILL | 11/13/08 | |
| | 2 | REPLACED PRIME W/ ROCHESTER | 9/10/09 | |
| | 3 | UPDATED LABEL / ADDED BLOCK OFF PLATE | 10/3/11 | AMC |
| | 4 | INCREASED HEIGHT TO 14.00" / INCREASED VOLUME TO 27 GALLONS | | |
| ĺ | | ADDED BRACKET INSERTS | 2/14/14 | AMC |

TOLERANCES

WALL THK.

DRAWN BY

Weillevy.

±1.5 % UNLESS OTHERWISE NOTED

0.200" NOMINAL

JRW

DATE 4/16/12







