

ALSO CONSULT THE MOELLER AFTERMARKET CATALOG FOR LISTING OF FUEL TANKS

Custom Performance and Moeller Quality at an Aftermarket Price

One popular option for builders is to purchase a Moeller open stock fuel tank. Moeller owns the tooling for more than 325 tanks which range in size from six to 230 gallons. Our open stock tanks offer the same performance as custom tanks, with no tooling cost.

Tank-Specific Information and Recommendations

- All tank-specific information and recommendations for angle and tilt were performed such that for all tanks, any of the walls of the tanks may face the front of the boat, except as indicated in the following tank listing.
- When determining which way a tank should sit in the boat, note the location of the pickup and the fuel sender, and consider the functionality of the unit over varying tip angles.
- Fuel tanks are sold as complete units and include all tank components, such as the sender, pick-up, Fill Limit Vent Valve (FLVV) and Grade Vent Valve (GRV).
- Fuel system parts (including the carbon canister, Inlet Check Valve (ICV), deck fill, and P-Trap Vent) are not included with tanks and must be purchased separately.
- Unless noted, tanks are designed for a canister system. However, all are compatible with pressurized systems, depending on plumbing and the use of an inline Fuel Demand Valve. For more information about Fuel Demand Valves, go to Attwood (<http://www.attwoodmarine.com/>) or Perko (<http://www.perko.com/>).
- For information about canister installation and pre-installation, refer to Attwood installation instructions.
- If the ICV and/or carbon canister are located in the engine compartment, a heat shield for that component is required, per installation instructions and USCG/ABYC requirements.
- To satisfy industry and regulatory requirements, consult with Moeller to determine hose lengths and routings.
- Detailed information about usable gallons by static tip angle and side forward are available from Moeller.
- For specific installation questions, contact your Regional Service Manager or send a message to info@moellermarine.com.

Availability of Moeller fuel tanks, as well as the configuration of each unit, is subject to change without prior notice.


Operating Temperatures

Moeller fuel tanks operate at ambient temperatures from -40°F (-40°C) to 176°F (80°C).



FIRE AND EXPLOSION HAZARD

Fuel leakage from any part of the fuel system may cause a fire or explosion, which may lead to serious injury or death. Periodic inspection of the entire fuel system is important, and is required following storage. All fuel components should be examined for leakage, softening, hardening, swelling, or corrosion. Replace any faulty components and repair any tank damage before further operation.



6 Gallons


L = 12.00

W = 12.00

H = 12.00

Attwood Molded Direct Fill

FT001721D



6 Gallons


L = 11.63

W = 11.63

H = 11.5

Threaded Kelch, Barrier

FT0702BR



6 Gallons


L = 12.00

W = 12.00

H = 12.00

Attwood Molded Direct Fill

FTA001005D



7 Gallons


L = 12.00

W = 12.00

H = 12.00

Ø1.50 Molded Fill

FT0704



7 Gallons


L = 23.50

W = 8.84

H = 8.56


Threaded Kelch

ID0180




12 Gallons

L = 20.00
W = 14.00
H = 11.75
Ø1.50 Molded Fill
FT1294-1 (032612)




12 Gallons

L = 20.00
W = 14.00
H = 11.75
Ø1.50 Molded Fill
FT1294-2




12 Gallons

L = 20.00
W = 14.00
H = 11.75
Ø1.50 Molded Fill, Barrier
FT1294BR-1




12 Gallons

L = 24.50
W = 18.50
H = 7.25
Ø1.50 Molded Fill
FT1295 (032512)




12 Gallons

L = 24.50
W = 18.50
H = 7.25
Ø1.50 Molded Fill
FT1295-1




12 Gallons

L = 24.50
W = 18.50
H = 7.25
Ø1.50 Molded Fill
FT1295-2




12 Gallons

L = 24.50
W = 18.50
H = 7.25
Ø1.50 Molded Fill, Diesel
FT1295S




12 Gallons

L = 43.00
W = 15.00
H = 5.88
Threaded Kelch
FT1498 (031612)




12 Gallons

L = 43.00
W = 15.00
H = 5.88
Threaded Kelch, Barrier
FT1498BR (031612)




13 Gallons

L = 32.00
W = 10.19
H = 10.19
Ø1.50 Molded Fill
FT1399 (032513)




13 Gallons

L = 32.00
W = 10.19
H = 10.19
Ø1.50 Molded Fill
FT1399-1



14 Gallons

L = 43.00
W = 15.00
H = 6.88
Ø1.50 Molded Fill
FT1598 (031615)




14 Gallons

L = 43.00

W = 15.00

H = 6.88

Threaded Kelch w/Elastomer valve,
Barrier**FTA001299BR (031615BR)**



14 Gallons


L = 34.00

W = 17.00

H = 6.75

Threaded Kelch

ID0032-1



15 Gallons


L = 21.00

W = 16.00

H = 12.00

Threaded Kelch

FT1510 (031515)



15 Gallons


L = 21.00

W = 16.00

H = 12.00

Threaded Kelch, Barrier

FT1510BR-1



15 Gallons


L = 17.75

W = 18.50

H = 12.50


Ø1.50 Molded Fill

FT1599




15 Gallons

L = 17.75
W = 18.50
H = 12.50
Ø1.50 Molded Fill
FT1599-1 (032515)




15 Gallons

L = 17.75
W = 18.50
H = 12.50
Ø1.50 Molded Fill
FT1599-2




15 Gallons

L = 42.50
W = 14.75
H = 7.63
Threaded Kelch w/Elastomer valve,
Barrier
FTA001305BR (031818BR)




16 Gallons

L = 42.50
W = 14.75
H = 7.63
Threaded Kelch
FT1699 (031818)




16 Gallons

L = 20.25
W = 14.00
H = 14.00
Ø1.50 Molded Fill
FT1623



16 Gallons

L = 20.25
W = 14.00
H = 14.00
Ø1.50 Molded Fill, Barrier, Diesel
FT1623B



16 Gallons


L = 64.00

W = 16.75

H = 4.50

Ø1.50 Molded Fill, Barrier, Diurnal

FT1809BR-3



17 Gallons


L = 47.00

W = 15.85

H = 12.83

Bluskie's UFV Direct fill, Barrier, Diurnal, IV

FT001671BDV



17 Gallons


L = 36.50

W = 18.25

H = 7.25

Ø1.50 Molded Fill

FT1895 (032518)



17 Gallons


L = 47.00

W = 15.85

H = 12.83

Attwood Molded Fill, Barrier, Diurnal

FTA001234BR



18 Gallons


L = 50.50

W = 21.00

H = 5.38

Ø1.50 Molded Fill

FT1826



18 Gallons


L = 22.00

W = 16.00

H = 13.00

Threaded Kelch

FT1849



18 Gallons


L = 22.00

W = 16.00

H = 13.00

Threaded Kelch (two stage cap), Barrier

FT1849BR-3



18 Gallons


L = 28.00

W = 15.00

H = 12.38

Threaded Kelch

FT2096 (031618)



18 Gallons


L = 28.00

W = 15.00

H = 12.38

Threaded Kelch w/Elastomer valve,
Barrier

FTA001232BR (031527BR)



18 Gallons


L = 28.00

W = 15.00

H = 12.25

Threaded Kelch w/Elastomer valve,
Barrier

FTA001301BR (031618)



19 Gallons


L = 39.00

W = 8.25

H = 17.75

Ø1.50 Molded Fill

FT1894 (032618)



19 Gallons


L = 39.00

W = 8.25

H = 17.75


Ø1.50 Molded Fill

FT1894-1 (032718)




19 Gallons

L = 40.75
W = 22.71
H = 5.88
Ø1.50 Molded Fill
FT1908




19 Gallons

L = 47.00
W = 10.25
H = 10.19
Ø1.50 Molded Fill
FT1997 (032719)




19 Gallons

L = 26.00
W = 16.00
H = 11.75
Ø1.50 Molded Fill
FT1999




19 Gallons

L = 26.00
W = 16.00
H = 11.75
Ø1.50 Molded Fill, Barrier
FT1999BR-2 (032519)




19 Gallons

L = 26.00
W = 16.00
H = 11.75
Ø1.50 Molded Fill, Barrier, Diurnal
FTA001103BR




20 Gallons

L = 28.00
W = 15.00
H = 12.25
Threaded Kelch
FT2097-4




20 Gallons

L = 58.00
W = 6.00
H = 14.75
Ø1.50 Molded Fill
FT2098




20 Gallons

L = 58.00
W = 6.00
H = 14.75
Ø1.50 Molded Fill
FT2098-1 (032818)




20 Gallons

L = 26.00
W = 11.75
H = 16.25
Ø1.50 Molded Fill
FT2099 (032520)




21 Gallons

L = 21.95
W = 25.48
H = 14.59
Blusgies direct fill, Barrier, Diurnal
FT001617BD




22 Gallons

L = 22.00
W = 15.00
H = 17.00
Ø1.50 Molded Fill
FT2216-1 (032522)




22 Gallons

L = 22.00
W = 15.00
H = 17.00
Ø1.50 Molded Fill
FT2216-2 (032522-1)




23 Gallons

L = 24.00
W = 20.00
H = 12.00
Ø1.50 Molded Fill
FT2399-1 (032623)




23 Gallons

L = 24.00
W = 20.00
H = 12.00 Ø1.50
Molded Fill, Barrier
FT2399BR-2




24 Gallons

L = 51.00
W = 8.75
H = 17.88
Ø1.50 Molded Fill
FT2495 (032524)




24 Gallons

L = 51.00
W = 8.75
H = 17.88
Ø1.50 Molded Fill
FT2495-1 (032624)



24 Gallons

L = 29.25
W = 19.00
H = 12.38
Threaded Kelch
FT2699 (031624)



24 Gallons


L = 62.07

W = 17.00

H = 16.50

Ø1.50 Molded Fill, Barrier, Diurnal, IV

FTA001352BDV



24 Gallons


L = 31.50

W = 17.00

H = 11.00

Threaded Kelch

IDA000252



24 Gallons


L = 31.50

W = 17.00

H = 11.00

Threaded Kelch

IDA000252-1



25 Gallons


L = 47.00

W = 18.03

H = 7.50

Bluskies direct fill, Barrier, Diurnal, IV

FT001566BDV



25 Gallons


L = 47.00

W = 18.03

H = 7.50

Ø1.50 Molded fill

FT2599-1 (032525)



25 Gallons


L = 47.00

W = 18.03

H = 7.50

Ø1.50 Molded fill

FT2599-2 (032525-2)



25 Gallons


L = 47.00

W = 18.03

H = 7.50

Ø1.50 Molded fill, Barrier, Diurnal

FTA001099BR



26 Gallons


L = 20.75

W = 18.88

H = 17.25

Ø1.50 Molded fill

FTA001091BR



27 Gallons


L = 46.76

W = 20.85

H = 16.85

Bluskies direct fill, Barrier, Diurnal

FT001550BR



27 Gallons


L = 27.00

W = 21.00

H = 12.00

Ø1.50 Molded fill

FT2738



27 Gallons


L = 30.00

W = 18.00

H = 13.00

Threaded Kelch

FT2739



27 Gallons


L = 50.00

W = 24.00

H = 6.75

Ø1.50 Molded fill

FT2740



27 Gallons


L = 36.00

W = 11.81

H = 16.28

Ø1.50 Molded fill

FT2798



27 Gallons


L = 36.00

W = 11.81

H = 16.28

Ø1.50 Molded fill

FT2798-1 (032627)



27 Gallons


L = 36.50

W = 16.00

H = 11.75

Ø1.50 Molded fill

FT2799-1 (032527)



27 Gallons


L = 49.00

W = 24.50

H = 7.87

Ø1.50 Molded fill

FT2899 (032528)



27 Gallons


L = 24.00

W = 20.00

H = 14.00

Ø1.50 Molded fill, Barrier, Diurnal

FTA001108BR



27 Gallons


L = 49.51

W = 20.85

H = 16.85

Attwood Molded fill, Barrier, Diurnal

FTA001259BR



27 Gallons


L = 49.51

W = 20.85

H = 16.85

Attwood Molded fill, Barrier, Diurnal

FTA001259BR-2



27 Gallons


L = 49.51

W = 20.85

H = 16.85

Attwood Molded fill, Barrier, Diurnal

FTA001259BR-3



27 Gallons


L = 49.51

W = 20.85

H = 16.85

Ø1.50 Molded fill, Barrier, Diurnal

FTA001284BR



29 Gallons


L = 43.00

W = 25.75

H = 8.63

Ø1.50 Molded fill

FT2912-1 (032529)



29 Gallons


L = 23.00

W = 18.75

H = 16.50

Ø1.50 Molded fill

FT2913-1 (032629)



29 Gallons


L = 49.00

W = 24.50

H = 6.88

Ø1.50 Molded fill

FT2927




29 Gallons

L = 49.00

W = 24.50

H = 6.88

Ø1.50 Molded fill, Barrier

FT2927BR


29 Gallons

L = 43.00

W = 25.75

H = 8.00

Ø1.50 Molded fill, Barrier, Diurnal

FTA001109BR


30 Gallons

L = 42.75

W = 21.50

H = 9.75

Ø1.50 Molded fill

FT3034


30 Gallons

L = 51.00

W = 8.75

H = 17.88

Ø1.50 Molded fill

FT3036BR

30 Gallons


L = 49.00

W = 13.00

H = 12.00


Ø1.50 Molded fill

FT3037




30 Gallons

L = 32.00
W = 17.50
H = 14.00
Ø1.50 Molded fill
FT3199-1 (302631)




31 Gallons

L = 65.44
W = 20.16
H = 17.838
Attwood Molded fill, Barrier, Diurnal
FT001571BD




32 Gallons

L = 70.96
W = 22.51
H = 15.04
Bluskies direct fill, Barrier, Diurnal
FT001513BD




32 Gallons

L = 70.96
W = 22.51
H = 15.04
Bluskies direct fill, Barrier, Diurnal
FT001513BD-1




32 Gallons

L = 59.88
W = 25.75
H = 6.56
Ø1.50 Molded fill, Barrier, Diurnal
FTA001122BR




32 Gallons

L = 51.00
W = 8.75
H = 17.88
Attwood Molded fill, Barrier, Diurnal
FTA001233BR




34 Gallons

L = 60.25
W = 26.50
H = 6.75
Ø1.50 Molded fill
FT3418-1 (032534)




34 Gallons

L = 52.00
W = 19.50
H = 8.69
Ø1.50 Molded fill, Barrier, Diurnal
FTA000908BR




34 Gallons

L = 52.00
W = 19.50
H = 8.69
Ø1.50 Molded fill, Barrier
FTA000908BR-1




35 Gallons

L = 69.50
W = 16.00
H = 8.00
Ø1.50 Molded fill
FT3599-2 (0322535)




35 Gallons

L = 26.00
W = 20.50
H = 17.50
Ø1.50 Molded fill
FT3799-1 (032537)



35 Gallons

L = 26.00
W = 20.50
H = 17.50
Ø1.50 Molded fill, Barrier
FT3799BR-1



35 Gallons


L = 48.00

W = 23.38

H = 8.50

Ø1.50 Molded fill, Barrier, Diurnal

FTA001102BR



37 Gallons


L = 48.00

W = 30.00

H = 11.25

Bluskies 45° UFV, Barrier, Diurnal

FT3728BR



37 Gallons


L = 67.50

W = 9.31

H = 19.37

Ø1.50 Molded fill

FT3738



37 Gallons


L = 23.50

W = 22.00

H = 18.00

Ø1.50 Molded fill, Barrier, Diurnal

FTA000926BR



38 Gallons


L = 36.00

W = 19.25

H = 15.25

Ø1.50 Molded fill, Barrier, Diurnal, IV

FT001537BDV



38 Gallons


L = 56.00

W = 25.00

H = 7.00

Ø1.50 Molded fill

FT3829



40 Gallons


L = 51.75

W = 28.00

H = 8.25

Ø1.50 Molded fill

FT4011



40 Gallons


L = 51.75

W = 28.00

H = 8.25

Ø1.50 Molded fill

FT4011-1 (032540)



40 Gallons


L = 26.00

W = 20.50

H = 18.50

Ø1.50 Molded fill

FT4018-1 (032640)



40 Gallons


L = 26.00

W = 20.50

H = 18.50

Ø1.50 Molded fill, Diesel Return

FT4018-2 (032640-1)



40 Gallons


L = 54.50

W = 23.88

H = 8.75

Ø1.50 Molded fill

FT4037



40 Gallons


L = 54.50

W = 23.88

H = 8.75

Ø1.50 Molded fill, Barrier

FT4037BR



40 Gallons


L = 26.00

W = 20.50

H = 18.50

Ø1.50 Molded fill, Barrier, Diurnal

FTA001110BR



41 Gallons


L = 29.55

W = 21.00

H = 20.00

Ø1.50 Molded fill, Barrier, Diurnal

FT001534BD



41 Gallons


L = 56.00

W = 11.00

H = 17.00

Ø1.50 Molded fill, Barrier, Diurnal

FT001697BD



42 Gallons


L = 37.26

W = 22.57

H = 12.74

Ø1.50 Molded fill, Barrier

FT4221BR-1



42 Gallons


L = 37.26

W = 22.57

H = 12.74

Ø1.50 Molded fill, Barrier, Diurnal

FT4221BR-2



47 Gallons


L = 69.00

W = 21.50

H = 9.50


Ø1.50 Molded fill

FT4704




48 Gallons

L = 53.00
W = 27.50
H = 10.50
Ø1.50 Molded fill, Barrier
FT4802BR




49 Gallons

L = 56.75
W = 26.66
H = 10.60
Ø1.50 Molded fill, Barrier, Diurnal
FTA001106BR




50 Gallons

L = 36.75
W = 22.75
H = 14.50
Ø1.50 Molded fill
FT5003




50 Gallons

L = 44.00
W = 30.75
H = 10.25
Ø1.50 Molded fill
FT5007




50 Gallons

L = 29.00
W = 26.75
H = 16.00
Ø1.50 Molded fill
FT5031



50 Gallons

L = 29.00
W = 26.75
H = 16.00
Ø1.50 Molded fill, Barrier, Diurnal
FT5031BD



50 Gallons


L = 73.00

W = 8.718.505

H = 9.50

Ø1.50 Molded fill

FT5037



50 Gallons


L = 45.00

W = 12.50

H = 22.00

Ø1.50 Molded fill

FT5099-1 (032550)



50 Gallons


L = 59.00

W = 28.00

H = 8.75

Ø1.50 Molded fill, Barrier, Diurnal

FTA001105BR



52 Gallons


L = 60.00

W = 24.00

H = 10.00

Ø1.50 Molded fill

FT5205-2



52 Gallons


L = 60.00

W = 24.00

H = 10.00

Ø1.50 Molded fill, Barrier, Diurnal

FT5205BR



52 Gallons


L = 60.00

W = 24.00

H = 10.00

Ø1.50 Molded fill, Barrier, Diurnal

FT5205BR-2


**52 Gallons**

L = 60.00

W = 24.00

H = 10.00

Ø1.50 Molded fill


FT5299-1 (032552)**55 Gallons**

L = 51.00

W = 25.50

H = 12.50

Ø1.50 Molded fill


FT5599 (032555)**55 Gallons**

L = 51.00

W = 25.50

H = 12.50

Ø1.50 Molded fill


FT5599-1 (032555-1)**56 Gallons**

L = 47.50

W = 30.25

H = 11.00

Ø1.50 Molded fill


FT5614**57 Gallons**

L = 53.50

W = 28.75

H = 10.38

Ø1.50 Molded fill

FT5713-2**58 Gallons**


L = 44.00

W = 21.50

H = 15.75

Ø1.50 Molded fill

FT5899 (032558)



58 Gallons


L = 44.00

W = 21.50

H = 15.75

Ø1.50 Molded fill, Barrier, Diurnal

FTA001104BR



60 Gallons


L = 71.00

W = 23.13

H = 10.00

Ø1.50 Molded fill

FT6005



60 Gallons


L = 62.00

W = 24.50

H = 11.25

Ø1.50 Molded fill, Barrier

FTA000648BR (032560BR)



60 Gallons


L = 62.00

W = 24.50

H = 11.25

Ø1.50 Molded fill, Barrier, Diurnal

FTA000648BR-2



61 Gallons


L = 75.13

W = 27.50

H = 10.31

Ø1.50 Molded fill

FT6103



63 Gallons


L = 70.13

W = 27.50

H = 12.81


(2) Ø1.50 Molded fill

FT001613BD




63 Gallons

L = 70.13
W = 27.50
H = 12.81
(2) Ø1.50 Molded fill
FT001613BD-1




63 Gallons

L = 68.50
W = 22.00
H = 11.00
Ø1.50 Molded fill
FT6303-1




64 Gallons

L = 45.83
W = 27.89
H = 13.82
Ø1.50 Molded fill
FT6404 (032564)




69 Gallons

L = 68.00
W = 28.44
H = 9.81
Ø1.50 Molded fill
FT6902-2




69 Gallons

L = 68.00
W = 28.44
H = 9.81
Ø1.50 Molded fill, Barrier
FT6902BR-2



70 Gallons

L = 50.50
W = 24.74
H = 16.14
Ø1.50 Molded fill
FT7016 (032570)


**72 Gallons**

L = 82.00

W = 25.00

H = 10.50

Ø1.50 Molded fill


FT7205**76 Gallons**

L = 48.00

W = 27.75

H = 15.50

Ø1.50 Molded fill


FT7603 (032576)**77 Gallons**

L = 77.38

W = 18.38

H = 13.88

Ø1.50 Molded fill


FT7704**79 Gallons**

L = 43.00

W = 28.25

H = 17.00

Ø1.50 Molded fill


FT7902**80 Gallons**

L = 66.93

W = 26.77

H = 12.60

Ø1.50 Molded fill

FT8008 (032580)**80 Gallons**


L = 65.00

W = 27.00

H = 13.75

Ø1.50 Molded fill

FT8013



82 Gallons


L = 66.88

W = 27.44

H = 11.69

Ø1.50 Molded fill, Barrier, Diurnal

FTA001129BR



85 Gallons


L = 53.63

W = 34.75

H = 13.76

Ø1.50 Molded fill

FTA000649 (032585)



90 Gallons


L = 63.00

W = 26.00

H = 14.00

Ø1.50 Molded fill

FT9001



90 Gallons


L = 77.00

W = 31.00

H = 10.00

Ø1.50 Molded fill

FT9002 (032690)



90 Gallons


L = 77.00

W = 31.00

H = 10.00

Ø1.50 Molded fill, Barrier

FT9002BR



90 Gallons


L = 77.00

W = 31.00

H = 10.00


Ø1.50 Molded fill, Barrier, Diurnal

FT9002BR-1




90 Gallons

L = 57.50
W = 30.75
H = 14.56
Ø1.50 Molded fill
FTA000064 (032590)




99 Gallons

L = 69.00
W = 23.56
H = 16.63
Ø1.50 Molded fill
FT9901 (032599)




99 Gallons

L = 56.00
W = 29.75
H = 15.50
Ø1.50 Molded fill
FT9903 (032699)




100 Gallons

L = 67.00
W = 29.75
H = 14.50
Ø1.50 Molded fill
FT10007-1




103 Gallons

L = 59.37
W = 38.17
H = 13.62
Ø1.50 Molded fill, Barrier, Diurnal, IV
FTA001409BDV



111 Gallons

L = 75.00
W = 24.00
H = 16.00
Ø1.50 Molded fill
FT11101 (032111)



112 Gallons


L = 54.37

W = 44.17

H = 13.62

Ø1.50 Molded fill

FT11201



112 Gallons


L = 54.37

W = 44.17

H = 13.62

Ø1.50 Molded fill, Barrier, Diurnal

FT11201BR



126 Gallons


L = 54.00

W = 32.00

H = 19.00

Ø1.50 Molded fill

FT12601 (032126)



130 Gallons


L = 62.00

W = 25.00

H = 22.50

(2) Ø1.50 Molded fill

FT13001



130 Gallons


L = 62.00

W = 25.00

H = 22.50(2)

Ø1.50 Molded fill

FT13001-1



130 Gallons


L = 62.00

W = 25.00

H = 22.50

(2) Ø1.50 Molded fill, Barrier

FT13001BR



150 Gallons


L = 66.69

W = 33.44

H = 17.63

Ø1.50 Molded fill

FT15004 (032150)



157 Gallons


L = 58.00

W = 47.25

H = 18.25

Ø1.50 Molded fill

FT15701



230 Gallons

L = 58.01

W = 34.75

H = 32.36

Threaded Kelch, Diesel

FT001748