
FUEL TANK INSTALLATION MUST ALLOW 3% GROWTH IN ALL DIRECTIONS. ANY DESIGNS NOT COMPLIANT WITH ABYC STANDARDS OR ARE CONSIDERED "GREY AREA" UNDER THESE STANDARDS WILL BE NOTED HERE IN. THIS PRINT AND ANY ATTACHED ARE PREPARED FOR CUSTOMER APPROVAL, PERFORMING THIS ACTION RELIEVES MOELLER MARINE PRODUCTS OF LIABILITY ASSOCIATED WITH TANK DESIGN.

	NO.	revision	DATE	DRAFTER
	1	REPLACE ALUMINUM FILL W/ MOLDED FILL	6/3/09	
	2	REPLACE PRIME W/ ROCHESTER	2/18/12	
	3	ADD DROP PORT BLOCK OFF; REPLACE LABEL	12/7/12	AMC
	4	MATCH PRINT TO PART	9/17/13	LGB
	5	REPLACE ROUGH RIDER WITH REED ARRAY, REMOVED NMMA FROM LABEL	8/18/15	KBN



** SHARES BASE W/ FTA001122 **

PAGE 1 OF 3

NOTE: ALL EDGES RO.38

UNLESS OTHERWISE NOTED

330 SHOT BLAST SURFACE TEXTURE

1° DRAFT ON ALL EXTERIOR SURFACES AS NEEDED

THIS DRAWING AND THE ATTACHED DRAWINGS (AND THE DATA SHOWN THERON) IS CONFIDENTIAL AND PROPRIETARY AND SHALL NOT BE USED, DISCLOSED TO OTHERS, REPRODUCED FOR ANY PURPOSE EXCEPT FOR QUOTATION TO OR ORDER BY MOELLER MARINE PRODUCTS, INC. AND/OR IT'S SUB-SIDIARIES WITHOUT THEIR WRITTEN CONSENT TO THE USE OF SUCH DRAWINGS AND/OR DATA.



