


FUEL TANK INSTALLATION MUST ALLOW 3% GROWTH IN ALL DIRECTIONS. ANY DESIGNS NOT COMPLIANT WITH ABYC STANDARDS OR ARE CONSIDERED "GREY AREA" UNDER THESE STANDARDS WILL BE NOTED HERE IN. THIS PRINT AND ANY ATTACHED ARE PREPARED FOR CUSTOMER APPROVAL, PERFORMING THIS ACTION RELIEVES MOELLER MARINE PRODUCTS OF LIABILITY ASSOCIATED WITH TANK DESIGN.

REVISIONS			
REV.	DESCRIPTION	DATE	DRAFTER
1	REPLACE ALUMINUM FILL W/ MOLDED	6/29/09	
2	REPLACE PRIME W/ ROCHESTER	9/10/09	
3	REPLACE ROUGH RIDER WITH REED ARRAY, REMOVED NMMA FROM LABEL.	8/19/2015	KBN



PAGE 1 OF 4

NOTE: ALL EDGES R0.38
UNLESS OTHERWISE NOTED
330 SHOT BLAST SURFACE TEXTURE
1° DRAFT ON ALL EXTERIOR SURFACES AS NEEDED

© 2015 MOELLER MARINE PRODUCTS
ALL RIGHT RESERVED

THIS DRAWING AND THE ATTACHED DRAWINGS (AND THE DATA SHOWN THERON) IS CONFIDENTIAL AND PROPRIETARY AND SHALL NOT BE USED, DISCLOSED TO OTHERS, REPRODUCED FOR ANY PURPOSE EXCEPT FOR QUOTATION TO OR ORDER BY MOELLER MARINE PRODUCTS, INC. AND/OR IT'S SUBSIDIARIES WITHOUT THEIR WRITTEN CONSENT TO THE USE OF SUCH DRAWINGS AND/OR DATA.

CUSTOMER PART # TBD
MAX FILL HEIGHT 1.8 METERS

CUSTOMER APPROVAL
APPROVED
DATE:

	DESCRIPTION	≤19 GALLON FUEL TANK STBD (64 L)		
	PART #	FT1894-1-R3	COLOR	NATURAL
	MATERIAL	CROSSLINK POLYETHYLENE		
	TOLERANCES	±1.5 % UNLESS OTHERWISE NOTED		
	WALL THK.	0.200" NOMINAL	DATE	8/19/2015
DRAWN BY	MOELLER ENGINEERING			

