


FUEL TANK INSTALLATION MUST ALLOW 3% GROWTH IN ALL DIRECTIONS. ANY DESIGNS NOT COMPLIANT WITH ABYC STANDARDS OR ARE CONSIDERED "GREY AREA" UNDER THESE STANDARDS WILL BE NOTED HERE IN. THIS PRINT AND ANY ATTACHED ARE PREPARED FOR CUSTOMER APPROVAL. PERFORMING THIS ACTION RELIEVES MOELLER MARINE PRODUCTS OF LIABILITY ASSOCIATED WITH TANK DESIGN.

REVISIONS			
REV.	DESCRIPTION	DATE	DRAFTER

2.25 KELCH CAP  
W/ ELASTOMER VALVE AND HANG TAG

SITE GAUGE



SPLIT W/D ASSEMBLY


**APPROVED**

PAGE 1 OF 2

© 2015 MOELLER MARINE PRODUCTS  
ALL RIGHT RESERVED

NOTE: ALL EDGES R0.38  
UNLESS OTHERWISE NOTED  
330 SHOT BLAST SURFACE TEXTURE  
1° DRAFT ON ALL EXTERIOR SURFACES AS NEEDED

THIS DRAWING AND THE ATTACHED DRAWINGS (AND THE DATA SHOWN THERON) IS CONFIDENTIAL AND PROPRIETARY AND SHALL NOT BE USED, DISCLOSED TO OTHERS, REPRODUCED FOR ANY PURPOSE EXCEPT FOR QUOTATION TO OR ORDER BY MOELLER MARINE PRODUCTS, INC. AND/OR IT'S SUBSIDIARIES WITHOUT THEIR WRITTEN CONSENT TO THE USE OF SUCH DRAWINGS AND/OR DATA.



DESCRIPTION	ULTRA 9 GAL PRIBL TANK-LP		
PART #	620009LP	COLOR	RED
MATERIAL	AS PARTS		
TOLERANCES	±1.5 % UNLESS OTHERWISE NOTED		
WALL THK.	0.065" NOMINAL	DATE	9/2/2015
DRAWN BY	MOELLER ENGINEERING		

