
FUEL TANK INSTALLATION MUST ALLOW 3% GROWTH IN ALL DIRECTIONS. ANY DESIGNS NOT COMPLIANT WITH ABYC STANDARDS OR ARE CONSIDERED "GREY AREA" UNDER THESE STANDARDS WILL BE NOTED HERE IN. THIS PRINT AND ANY ATTACHED ARE PREPARED FOR CUSTOMER APPROVAL, PERFORMING THIS ACTION RELIEVES MOELLER MARINE PRODUCTS OF LIABILITY ASSOCIATED WITH TANK DESIGN.

NO.	REVISION	DATE	DRAFTER
1	-		



PAGE 1 OF 3

NOTE: ALL EDGES R0.38
UNLESS OTHERWISE NOTED
330 SHOT BLAST SURFACE TEXTURE

1° DRAFT ON ALL EXTERIOR SURFACES AS NEEDED

THIS DRAWING AND THE ATTACHED DRAWINGS (AND THE DATA SHOWN THERON) IS CONFIDENTIAL AND PROPRIETARY AND SHALL NOT BE USED, DISCLOSED TO OTHERS, REPRODUCED FOR ANY PURPOSE EXCEPT FOR QUOTATION TO OR ORDER BY MOELLER MARINE PRODUCTS, INC. AND/OR IT'S SUBSIDIARIES WITHOUT THEIR WRITTEN CONSENT TO THE USE OF SUCH DRAWINGS AND/OR DATA.

## CUSTOMER PART # TBD

**EPA CERTIFIED** 

CUSTOMER APPROVAL
NAME:
DATE:

	DESCRIPTION		≤40 GALLON FUEL TANK (151L)					
1( ( ) )	PART#	FTA	001110BR		COLOR	NATUF	RAL	
	MATERIAL		CROSSLIN	(PC	DLYETH'	YLENE '	W/BARR	IER
	TOLERANC	ES	±1.5 % UNLESS OTHERWISE NOTED		NOTED			
	WALL THK	·	0.220" NOMINAL		DATE	11/13	/12	
	DRAWN B	Y	AMC					

