
L:\Groups\Engineering\part numbers\Fueltanks\FTA001201-FTA001400\FTA001234\FTA001234BR\

FUEL TANK INSTALLATION MUST ALLOW 3% GROWTH IN ALL DIRECTIONS. ANY DESIGNS NOT COMPLIANT WITH ABYC STANDARDS OR ARE CONSIDERED "GREY AREA" UNDER THESE STANDARDS WILL BE NOTED HERE IN. THIS PRINT AND ANY ATTACHED ARE PREPARED FOR CUSTOMER APPROVAL, PERFORMING THIS ACTION RELIEVES MOELLER MARINE PRODUCTS OF LIABILITY ASSOCIATED WITH TANK DESIGN.

REVISIONS					
REV.	DESCRIPTION	DATE	DRAFTER		
а	FLVV UPDATE	3/25/2014	CFN		



PAGE 1 OF 5

NOTE: ALL EDGES RO.38

UNLESS OTHERWISE NOTED

330 SHOT BLAST SURFACE I

© 2013 MOELLER MARINE PRODUCTS ALL RIGHT RESERVED

330 SHOT BLAST SURFACE TEXTURE 1° DRAFT ON ALL EXTERIOR SURFACES AS NEEDED

THIS DRAWING AND THE ATTACHED DRAWINGS (AND THE DATA SHOWN THERON) IS CONFIDENTIAL AND PROPRIETARY AND SHALL NOT BE USED, DISCLOSED TO OTHERS, REPRODUCED FOR ANY PURPOSE EXCEPT FOR QUOTATION TO OR ORDER BY MOELLER MARINE PRODUCTS, INC. AND/OR IT'S SUB-SIDIARIES WITHOUT THEIR WRITTEN CONSENT TO THE USE OF SUCH DRAWINGS AND/OR DATA.

APEX MARINE PART # TBD EPA CERTIFIED

CUSTOMER APPROVAL
NAME:

DESCRIPTION ≤17 GALLON FUEL TANK (64 L)

DATE:

	DESCINI HON	317 OALLON 10		
	11			NATURAL
		CROSSLINK POLYETHYLENE W/BARRIER		
	TOLERANCES	±1.5 % UNLESS OTHERWISE NOTED		
		0.200" NOMINAL		DATE 8/5/2013
	DRAWN BY	MOELLER ENGINEERING		

